



P.O. Box 4391

FIELD REPORT

204020034

Started Aug. 17. 19. 81

Completed Aug. 20. 19. 81

NAME AND ADDRESS OF CLIENT

DESCRIPTION OF WORK

LOCATION OF WORK



W/W

Carcross

FORMATION LOG

FROM

TO

FORMATION

DESCRIPTION OF WORK

DATE

TIME FROM

TO

HOURS

MOVE

			Travel	Aug. 18	7:00	8:00	1
			move back 3' set up	"	8:00	9:00	1
0'	17'	Gr sand Cobbles		"	9:00	2:30	5.5
17'	34'	till Cobbles					
34'	41'	till 1'-2' boulders					
41'	45'	Boulder					
45'	64'	Gravelly till Cobbles					
64'	71'	clay Gr.					
71'	75'	sandy till Cobbles					
75'	81'	clay Gr Cobbles					
81'	93'	Gravelly Till					
93'	97'	Black Rock					
			Pulled 6" casing	"	2:30	6:30	4
			set 20'-8" casing reamed.				
			to 45' 7 7/8" bit pull 8"				
			drilled 6" casing to 40'	"	6:30	8:00	1.5
			Travel	"	8:00	9:00	1

Rcd. of Casing & Pipe  
Size Type Size Type

Remarks:

Feet Inch Feet Inch

STATIC LEVEL

Total Rig Time hrs.

Ground level

Total Standby hrs.

Top of casing

Drilling Mud sacks

SIGNATURES

MIDNIGHT SUN.....


CLIENT.....

TITLE.....

TITLE.....







## FIELD REPORT

V.O.N.

**Midnight Sun Drilling Co. Ltd.**  
#13 MacDonald Road  
WHITEHORSE, Y.T. Y1A 4L1  
Phone (403) 633-3070

Started... *m.d. 4... 10... 19.76*

Completed..178.4..13....19.96.

NAME AND ADDRESS OF CLIENT				DESCRIPTION OF WORK		LOCATION OF WORK			
				w / w		H.S. Carcross Rd.			
				96-1A-6					
FORMATION LOG			DESCRIPTION OF WORK	DATE	TIME			HOUR	
FROM	TO	FORMATION			FROM	TO			
			MOVE						
			move Flat deck to site	m / 10	3:00	5:00		2	
			Load	may 11	8:00	8:30		0	
			Travel with Rig to site	"	8:30	9:30		1	
			move on setup, Pull casing	"	9:30	4:00		6.5	
			+ screen						
			set casing to 60'	"					
			Crew Travel	"	4:00	5:00		1	
			Crew Travel	may 13	8:00	9:00		1	
60	80	sand Gr.		"	9:00	10:00		1	
80	84	sand Gr.		"	10:00	1:00		3	
84	90	fine sand silt							
90	102	Gr. Sand							
102	104	till							
			set screen	"	1:00	2:00		1	
			Developer	"	2:00	4:00		2	
			move add.	"	4:00	5:00		1	
			Crew Travel	"	5:00	6:00		1	
Rcd. of Casing & Pipe			Remarks: 10-G.P.M.						
Size	Type	Size	Type	1- Reg shoe					
6				credit 69'6" casing					
Feet	Inch	Feet	Inch						
99.6	6								
				99.5 69.5 30' casing					
STATIC LEVEL				Total Rig Time		hrs.			
Ground level 75'				Total Standby		hrs.			
Top of casing				Drilling Mud		sacks			