


204100386

VANCOUVER <hr/> TORONTO <hr/> ST. CATHARINES <hr/> WHITEHORSE, YELLOWKNIFE		Gartner Lee Limited <i>Consultants in the Environment</i>
---	---	---

Transmittal #:

Date: Dec 15 1999

GLL Job #: 99-99-926

From: [Redacted]
Fax: (867) 633-6321

To: [Redacted]
Fax No: 633-5758

Here are the logs for the 2
holes you drilled at Spruce Hill.
TH 1-99 is the lot 11 hole, TH 2-99
is the lot 21 hole. Thanks!

[Redacted]
IF these are too small to read, I can
put originals in the mail to you.

Number of pages including cover sheet: 4

Sent by: [Redacted]

206 Lowe Street, Suite C, Whitehorse, Yukon, Canada Y1A 1W6
phone (867) 633-6474 fax (867) 633-6321

BOREHOLE LOG										PROJECT: GLL 99-926		BOREHOLE: TH 1-99 pg. 2/2							
FOR: Engineering & Development Branch, C&TS Spruce Hill Subdivision Development Whitehorse, Yukon										DRILL: Schramm T685 Air Rotary		DATE DRILLED: Oct 26-28, 1999							
										DRILLING CO.: Midnight Sun Drilling Co. Ltd.		LOGGED BY: [REDACTED]							
										LOCATION: Lot 11, Spruce Hill		ELEVATION: 708.75 m (ASL)							
DEPTH (m) (ft)	STRATIGRAPHY									STRATIGRAPHIC DESCRIPTION	Well Construction Details	SAMPLE							
	Clay	Silt	Sand			Gravel			Diamic.			Bedrock	Number	Interval	Type	N Value	% Water	% Rec.	RQD
			F	M	C	P	C	B											
56.4 185	[Pattern]	[Pattern]									Grey silty fine to medium SAND	[Pattern]							
57.9 190	[Pattern]	[Pattern]									Clean coarse SAND with pebbles	[Pattern]							
59.5 195	[Pattern]	[Pattern]									Clean coarse SAND and pebble gravel	[Pattern]							
61.0 200	[Pattern]	[Pattern]									Clean coarse sand to pebble GRAVEL	[Pattern]							
											END OF HOLE at 200' Hole makes lots of water, driller's estimate of 10 gpm Static Waterlevel = xxxm below surface Well completed with 6" steel casing, 5 ft. #20 slot stainless steel screen Well stick-up = 0.70 m								

BOREHOLE LOG										PROJECT: GLL 99-926		BOREHOLE: TH 2-99							
FOR: Engineering & Development Branch, C&TS Spruce Hill Subdivision Development Whitehorse, Yukon										DRILL: Schramm T685 Air Rotary		DATE DRILLED Nov. 17-18, 1999							
										DRILLING CO.: Midnight Sun Drilling Co. Ltd.		LOGGED BY: [REDACTED]							
										LOCATION: Lot 21, Spruce Hill		ELEVATION 711.9 m (ASL)							
DEPTH (m) (ft)	STRATIGRAPHY										Well Construction Details	SAMPLE							
	Clay	Silt	Sand			Gravel			Diamic.	Bedrock		STRATIGRAPHIC DESCRIPTION	Number	Interval	Type	N Value	% Water	% Rec.	RQD
			F	M	C	P	C	B											
1.3																			
3.0																			
4.6																			
6.1																			
7.6																			
9.1																			
10.7																			
12.2																			
13.7																			
15.2																			
16.8																			
18.3																			
19.8																			
21.3																			
22.9																			
24.4																			
25.9																			
27.4																			
29.0																			
30.5																			
32.0																			
33.5																			
35.1																			
36.6																			
38.1																			
39.6																			
41.2																			
42.7																			
44.3																			
45.7																			
47.3																			
48.8																			