



# Borehole No: BH21-05

Project: Watson Lake Infrastructure Upgrades

Project No: [REDACTED]

Location: Teslin Crescent

Watson Lake, Yukon

UTM: 516191 E; 6659445 N; Z 9

Depth (m)	Method	Soil Description	Ground Ice Description	Sample Type	Sample Number	Moisture Content (%)	Plastic Limit	Moisture Content	Liquid Limit	Depth (ft)
0							20	40	80	0
0 - 1	Solid stem auger	SAND - gravelly, trace silt, fine to coarse grained sand, subrounded to subangular gravel, damp, brown	Unfrozen							1
1 - 2		- some gravel								2
2 - 3										3
3 - 4										4
4 - 5		SILT - sandy, trace gravel, fine to medium grained sand, moist to wet, light brown - (Gravel - 2%; Sand - 25%; Silt - 69%; Clay - 4%)								
5 - 6		SAND - gravelly, trace silt, fine to coarse grained sand, damp, brownish grey, dark grey inclusions								6
6 - 10		END OF BOREHOLE (6.10 metres) Note: Target depth reached								7
										8
										9
										10
										11
										12
										13
										14
										15
										16
										17
										18
										19
										20
										21
										22
										23
										24
										25
										26
										27
										28
										29
										30
										31
										32

Contractor: [REDACTED]  
 Equipment Type: Truck mounted  
 Logged By: [REDACTED]  
 Reviewed: [REDACTED]

Completion Depth: 6.1 m  
 Start Date: 2021 October 20  
 Completion Date: 2021 October 20  
 Page 1 of 1