



# Borehole No: BH21-13

Project: Watson Lake Infrastructure Upgrades


Project No: [REDACTED]

Location: 10 Street South

Watson Lake, Yukon

UTM: 515809 E; 6658238 N; Z 9

Depth (m)	Method	Soil Description	Ground Ice Description	Sample Type	Sample Number	Moisture Content (%)	Plastic Limit	Moisture Content	Liquid Limit	Depth (ft)
0		BITUMINOUS SURFACE TREATMENT	Unfrozen							0
0 - 1	Solid stem auger	SAND (FILL) - some subangular to subrounded gravel, trace silt, fine to medium grained sand, damp, light brown	Unfrozen							1
1 - 2		SAND - silty, gravelly, fine to medium grained sand, damp, light brown								2
2 - 2.59		- (Gravel - 23%; Sand - 51%; Silt & Clay - 26%)		SA54	7.3	●				3
2.59		END OF BOREHOLE (2.59 metres) Note: Stopped due to refusal			SA55	7.2	●			4
3 - 10										5 - 32



[REDACTED]	Contractor: [REDACTED]	Completion Depth: 2.59 m
	Equipment Type: Truck mounted	Start Date: 2021 October 21
	Logged By: J. [REDACTED]	Completion Date: 2021 October 21
	Reviewed By: [REDACTED]	Page 1 of 1