

Yukon Housing Corporation

Testpit No: TP21-01

Project: Limited Phase II ESA & Geotechnical Evaluation

Project No: [REDACTED]

Location: 807 Lakeview Avenue

Watson Lake, Yukon

UTM: 516274 E; 6658595 N; Z 9

Depth (m)	Method	Soil Description	Ground Ice Description	Sample Type	Sample Number	Moisture Content (%)	Plastic Limit	Moisture Content	Liquid Limit	Depth (ft)
0							20	40	60	0
0	Excavated	GRAVEL - crush, sandy, (100 mm thick)	Seasonally frozen to 1.3 metres							
		SAND (FILL) - gravelly, some silt, small cobbles, well graded, brown, (300 mm thick)			SA01	5.2				
		- 25 mm thick black peat layer			SA02B	51.2				1.5
		SILT - organicy, trace to some sand, trace gravel, rootlets, red brown, oxidized			SA02A	26.8				2
		SAND AND GRAVEL - trace silt, well graded, yellow brown, fine gravel								2.5
1			Unfrozen							3
		- gravel content increases with depth, brown grey, medium gravel			SA03	2.3				4
2										5
					SA04	2.6				6
2		END OF TESTPIT (2.0 metres)								7
3										8
4										9
5										10

Archive

[REDACTED]

Contract: [REDACTED]
 Drilling Rig Type: John Deere 245G
 Logged By: [REDACTED]
 Reviewed By: [REDACTED]

Completion Depth: 2 m
 Start Date: 2021 March 3
 Completion Date: 2021 March 3
 Page 1 of 1