

Depth (m)	Method	Soil Description	Ground Ice Description	Sample Type	Sample Number	Moisture Content (%)	Plastic Limit	Moisture Content	Liquid Limit	Depth (ft)
0							20	40	80	0
0 - 1.3	Excavated	SAND AND SILT (FILL) - gravelly, some cobbles, trace boulders, well graded, damp, compact, brown, organic inclusions, cobbles to 200 mm diameter	Unfrozen		SA01	7.5				0 - 1.3
1.3 - 2.4	Excavated	ORGANICS AND SILT - orange and black			SA02	6.9				1.3 - 2.4
2.4 - 2.4	Excavated	SAND AND GRAVEL - trace silt, well graded, damp, compact, brown, fine to coarse sand and gravel			SA03	1.3				2.4 - 2.4
2.4 - 2.4	Excavated	- fine to medium sand and gravel								2.4 - 2.4
2.4 - 2.4	Excavated	END OF TESTPIT (2.4 metres)								2.4 - 2.4

Archive

[REDACTED]

Contractor: [REDACTED]
 Drilling Rig Type: Excavator
 Logged By: [REDACTED]
 Reviewed: [REDACTED]

Completion Depth: 2.4 m
 Start Date: 2018 October 30
 Completion Date: 2018 October 30
 Page 1 of 1