

Government of Yukon

Testpit No: TP18-06

Project: Fire Hall and Public Works Geotechnical

Project N [REDACTED]

Location: Lot 1102

Watson Lake, Yukon

UTM: 516112 E; 6658273 N; Z 9

Depth (m)	Method	Soil Description	Ground Ice Description	Sample Type	Sample Number	Moisture Content (%)	Plastic Limit	Moisture Content	Liquid Limit	Depth (ft)	
0							20	40	80	0	
0 - 0.5	Excavated	ORGANICS AND SILT - orange and black	Unfrozen							0.5	
0.5 - 1.0		SAND - some gravel, trace silt, well graded, damp, brown, organic inclusions, fine to coarse sand									1.0
1.0 - 2.0		- gravelly, trace cobbles, boulder inclusions, cobbles to 200 mm diameter									2.0
2.0 - 3.0		SAND AND SILT - some gravel, well graded, damp, brown, fine to coarse sand				SA01	5.7				3.0
3.0		END OF TESTPIT (3.0 metres)		SA02	2.4					3.0	

Archive

[REDACTED]

Contractor [REDACTED]
 Drilling Rig Type: Excavator
 Logged By [REDACTED]
 Reviewed [REDACTED]

Completion Depth: 3 m
 Start Date: 2018 October 30
 Completion Date: 2018 October 30
 Page 1 of 1