

PROJECT: 952-1523I

RECORD OF BOREHOLE: BH95G-24

SHEET 1 OF 1

LOCATION: 6815257N, 415038E, PIT AREA (SOU.CEN.)

DRILLING DATE: Aug. 11, 1995

DATUM: NAD 83

INCLINATION: -90 AZIMUTH:

DRILL RIG: Boyles Brothers - Rotary

DRILLING CONTRACTOR: D.J. Drilling



DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (m/min)	FLUSH % RETURN	FR-FRACTURE		F-FAULT		SM-SMOOTH		FL-FLEXURED		NOTES TEST RESULTS			
								CL-CLEAVAGE		J-JOINT		R-ROUGH		UE-UNEVEN					
								SH-SHEAR		P-POLISHED		ST-STEPPED		W-WAVY					
								VN-VEIN		S-SLICKENSIDED		PL-PLANAR		C-CURVED					
RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3m	DISCONTINUITY DATA		ROCK STR. (MPa)	WEATH- ERING INDEX (w												
TOTAL CORE %	SOLID CORE %			DP W.P.L. CORE AXIS	TYPE AND SURFACE DESCRIPTION		W1	W2	W3	W4									
0		Ground Surface		1385.33 0.00															
1		Compact to very dense, moist brown-grey SAND, some silt to silty SAND, some gravel, occasional cobbles and boulders.	[Symbolic Log]	1380.30 5.03	1													Aug. 25 1995	
2	2																		Bentonite Seal
3	3																		
4		Dense to very dense, moist, grey, silty SAND to SAND, some silt, some gravel, occasional cobbles and boulders. (TILL-LIKE)	[Symbolic Log]	1378.47 6.86	4														
5	5																		
6		Brown, gravelly SAND to sandy GRAVEL, trace to some silt.	[Symbolic Log]	1376.80 8.53	6														
7	7																		
8		Bedrock - weathered to slightly weathered, weak to moderately strong black-white SCHIST.	[Symbolic Log]	1375.58 9.75	8														
9	9																		
10		End of Borehole																	

Aug. 25
1995

Bentonite
Seal

Sand Pack

32mm dia.
PVC Screen

DATA INPUT: R. [unclear]

SEPT. 95

DEPTH SCALE:
1 to 100

CLIENT: Cominco

Golder Associates

LOGGED: [initials]
DATE: Aug. 11, 1995
CHECKED: [initials]