IMPACT UTILING 867-668-6943 6" - 12" • Water Wells • Pump Installation • Exploration • Dual Rotary Air Rig • Pilings Owner name: Mailing address: City / Town: . Postal Code Well Location Address: Street No. . Street name ____ Alas Ko Haine Junction City / Town _ OR Legal description: Lot . Plan. OR PID: AND Description of well location (attach sketch if nec.): drive cury Morese ALDOVOC NAD 83: Zone: UTM Easting: 08361923E m Latitude: AND UTM Northing: 6738778Nm Longitude: _ Method of drilling: ☐ air rotary ☐ dual rotary ☐ cable tool ☐ mud rotary ☐ auger ☐ driving ☐ jetting ☐ other (specify) Orientation of well: 🖾 vertical 🔲 horizontal Ground elevation ______ ft (asl) Method: _ Water supply wells, indicate water use: 🗖 private domestic 🗖 water supply system 🗖 irrigation 🗖 commercial or industrial other (specify) LITHOLOGIC DESCRIPTION Surficial Material **Bedrock Material** Color Hardness Water Content Observations (e.g. other geological materials (e.g. boulders) est, water bearing flow (USgpm), or closure From To details) ft (bgl) ft (bgl) 16 78 Silfy wat **CASING DETAILS SCREEN DETAILS** Wall From To Dia From Drive Dia Slot Casing Material / Open Hole Thickness ft (bgl) Type ft (bgl) ft (bgl) Shoe ft (bgl) Size 300 Sheel 304 12 199 307 15 304 Surface seal: Type Depth _ ft | Intake: ☐-Screen ☐ Open bottom ☐ Uncased hole

Method of installation Poured Pumped Thickness 13	coreon type: = tolocoope = t tpc size
Backfill: Type Depth	Screen material: Stainless steel Plastic Other:
Liner: □ PVC □ Other (specify):	
Diameter in Thickness i	Screen bottom: 🗆 Bail 🖼 Plug 🗖 Plate 🗖 Other:
From ft (bgl) To ft (bgl)	Filter pack: Fromft To:ft Thickness:
Perforated: From ft (bgl) To ft (bgl)	Type and size of material:
DEVELOPED BY	FINAL WELL COMPLETION DATA
☐ Air lifting ☐ Surging ☐ Jetting ☐ Pumping ☐ Bailing	Total depth drilled: 313 ft Finished well depth: 307 ft (bg
Other (specify): h	Final stick up: 18 in Depth to bedrock :ft (bg
Notes:	SWL:ft (bgl) Estimated well yieldUSgpr
WELL YIELD ESTIMATED BY	
☐ Pumping ☐ Air lifting ☐ Bailing ☐ Other (specify):	Artesian flow: USgpm, or Artesian pressure: USgpm, or Artesian pressure:
Rate: USgpm Durtation: h	rs Type of well cap: Loc King Well disinfected: Yes No
SWL before test: ft (btoc) Pumping water level: ft (btoc)	c) Where well ID plate is attached:
OBVIOUS WATER QUALITY CHARACTERISTICS	WELL CLOSURE INFORMATION
☐ Fresh ☐ Salty ☐ Clear ☐ Cloudy ☐ Sediment ☐ Gas	Reason for closure:
Colour / Odour: Water sample collected: I	☐ Method of closure: ☐ Poured ☐ Pumped
WELL DRILLER (print clea	Sealant Material: Backfill material:
Name (first, last):	Details of closure:
Consultant (if applicable; name & company)	
· · · · · · · · · · · · · · · · · · ·	DATE OF WORK (yyyy/mm/dd)
Signature of	Started: Aug 2017 Completed Aug 2017
Driller Deeperaible	Commento

PLEASE NOTE: The information recorded in this well report describes the works and hydrogeologic conditions at the time of construction, alteration or closure as the case may be. Well yiel well performance and water quality are not quaranteed as they are influenced by a number of factors, including natural variability, human activities and condition of the works, which may change over time

ere en en entre de de la collección reconstruir de la continuou manda continue continue a continue en entre en en encollección de la continue del la continue de la continu

WHITE: CUSTOMER COPY | YELLOW: YTG COPY | PINK: DRILLER COF