

PROJECT No.: [REDACTED]

RECORD OF BOREHOLE: ML-BH12-03 (ML-MW12-03)

SHEET 3 OF 4
DATUM: Geodetic

CLIENT: Yukon Government Community Services
PROJECT: Yukon Landfill Assessment
LOCATION: Marsh Lake Wastewater Treatment Lagoon
N: 6698698.39 E: 545205.44

DRILLING DATE: May 10, 2012
DRILLING CONTRACTOR: Midnight Sun Drilling

DEPTH SCALE METRES	BORING METHOD	SOIL PROFILE		SAMPLES				PID ppm		WATER CONTENT PERCENT Wp W Wi	ADDITIONAL LAB. TESTING	PIEZOMETER, STANDPIPE OR THERMISTOR INSTALLATION	
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	BLOWS/0.3m	CORE No.	CORE RECOVERY %				PID ppm
20	M5 Driftech Truck Mounted Auger Drill Rig Air Rotary	(SW-GW) SAND and GRAVEL, trace silt, dark brown, moist. <i>(continued)</i>											
21													
22		(SW) SAND, some gravel, trace silt, dark brown, moist.		726.35	21.34								
23		(ML) sandy SILT, trace gravel, cark brown, moist, slight cohesion.		724.82	22.86								
24													
25												Bentonite Seal	
26		(SW-GW) SAND and GRAVEL, trace silt, dark brown, moist.		721.78	25.91								
27													
28													
29													
30													

CONTINUED NEXT PAGE

DEPTH SCALE

1 : 50



LOGGED: [REDACTED]

CHECKED: **DRAFT**

FILE: N:\BUR-CRAPHICS\PROJECTS\2011\436114\36114-1436-007\03\000\ML-GPJ_Output\Frm\BC_BOREHOLE (ENVIRO)_Template\BC REGION TEMPLATE BETA.LGDT_Library\BC REGION LIBRARY.GLB borozlak_09/13/12

