

SAMPLE TYPE  GRAB  NO RECOVERY

DEPTH(m)	SAMPLE TYPE	SAMPLE NO	USC	SOIL SYMBOL	SOIL DESCRIPTION	STANDARD PENETRATION				PERCENT GRAVEL				PERCENT SAND				PERCENT SILT OR FINES				PERCENT CLAY				DEPTH(ft)
						10	20	30	40	20	40	60	80	20	40	60	80	20	40	60	80	20	40	60	80	
0.0					ROOTS, SNOW and SILT																		0.0			
					SILT - trace of sand, numerous fine roots; frozen; light brown																		2.0			
1.0		1			- trace of clay, trace of sand; laminated bedding; non plastic; moist; stiff; olive grey																		4.0			
					- frozen to 1.2 m																		6.0			
					- root fibers to 1.2 m																		8.0			
2.0		2																					10.0			
3.0		3																					12.0			
					- bedding increases in thickness below 3.5 m																		14.0			
					- interbedded with clayey silt layers below 3.5 m																		16.0			
4.0																							18.0			
5.0		4																					20.0			
6.0		5			GRAVEL AND SAND - trace of silt; fine to medium sand; gravel to 150 mm; smooth, subrounded; damp; compact to dense; olive grey																		22.0			
					END OF TESTPIT @ 5.9 m																					

EBA Engineering Consultants Ltd.  
Whitehorse, Yukon

LOGGED BY: [REDACTED]	COMPLETION DEPTH: 5.9 m
REVIEWED BY: [REDACTED]	COMPLETE: 95/01/09
Fig. No:	Page 1 of 1