


WHISTLE BEND PERFORMANCE MONITORING	GOVERNMENT OF YUKON-COMMUNITY SERVICES	BOREHOLE NO: RG14-9
WHISTLE BEND RAIN GARDEN	DRILL: SOLID STEM AUGER	PROJECT: ██████████
WHITEHORSE, YUKON		

SAMPLE TYPE	<input type="checkbox"/> DISTURBED	<input type="checkbox"/> NO RECOVERY	<input type="checkbox"/> SPT	<input type="checkbox"/> A-CASING	<input type="checkbox"/> SHELBY TUBE	<input type="checkbox"/> CORE
BACKFILL TYPE	<input type="checkbox"/> BENTONITE	<input type="checkbox"/> PEA GRAVEL	<input type="checkbox"/> SLOUGH	<input type="checkbox"/> GROUT	<input type="checkbox"/> DRILL CUTTINGS	<input type="checkbox"/> SAND

Depth (m)	SOIL DESCRIPTION	SAMPLE TYPE	GROUND ICE DESCRIPTION AND COMMENTS	BULK DENSITY (kg/m <sup>3</sup> )		CLAY (%)		SILT (%)		SAND (%)		RG14-9	Depth (ft)
				1400	1600	1800	2000	20	40	60	80		
0	SAND - trace of silt, medium grained, damp, loose, dark brown												0
	- saturated												
1	SILT - trace of sand, trace of clay, moist to wet, low plastic, light brown to beige, mottled, rust spots												5
2													10
3													15
4													20
5	END OF BOREHOLE (5.20 metres) Monitoring well installed to 4.80 metres												25
6													
7													
7.5													

 <b>TETRA TECH EBA</b>	LOGGED BY: ██████████	COMPLETION DEPTH: 5.2m
	REVIEWED BY: ██████████	COMPLETE: 14/11/27
	DRAWING NO:	Page 1 of 1