MONITORING WELL LOG **MW29** SUPERVISOR: **Hollow Stem Auger** TYPE OF RIG: NORTHING: 6733544 CONTRACTOR: EASTING: 496362 DATE DRILLED: May 26, 2003 ELEV. TOP OF PVC: 633.450 M-ASL GROUND ELEV: 632.59 DEPTH TO WATER: 3.88 M-BTOC ELEV. OF WATER: 629.57 M-ASL **SAMPLES** Ξ VapourS (ppm) Ė **NAMES** Depth (Elev. AND **LITHOLOGY DEPTHS WELL DIAGRAM** 632.6 0.0 Ground surface light brown sand and gravel, cobbles, loose, moist NA 1.0 631.6 1.0 light brown sand, moist to wet, soft 2.0 630.6 light brown sand and gravel, medium sized cobbles, 2.0 loose, moist 629.6 3.0 3.0 light brown to dark brown sand, very loose, saturated, medium grained MW29-3 4.0 628.6 4.0 627.6 grey fine grained sand, loose, saturated 5.0 6.0 626.6 6.0 grey sand, loose, saturated 7.0 625.6 End of hole 23 feet 8.0 624.6 8.0 9.0 623.6 9.0 Bentonite Top Of Screen 2.3 Sandpack Bottom Of Screen 5.3 Cuttings/Sand Backfill/Slough Top Of Sandpack 2.0 6.9 Bottom Of Sandpack Water Level: 1.4 Top Of Bentonite 2.0 Date: June, 2003 **Bottom Of Bentonite** SITE INVESTIGATION 146 Industrial Rd, Whitehorse, Yukon Territory PGL File: 8