MONITORING WELL LOG MW32 SUPERVISOR: TYPE OF RIG: **Hollow Stem Auger** NORTHING: 6733825 CONTRACTOR: EASTING: 496093 DATE DRILLED: May 27, 2003 ELEV. TOP OF PVC: 635.110 M-ASL GROUND ELEV: 634.80 DEPTH TO WATER: 4.84 M-BTOC ELEV. OF WATER: 630.32 M-ASL **SAMPLES** Depth (m) VapourS (ppm) Ė **NAMES** Elev. AND **LITHOLOGY DEPTHS WELL DIAGRAM** 634.8 0.0 Ground surface light brown sand, loose, moist NA 25 1.0 633.8 1.0 2.0 632.8 light to dark brown sand, some gravel, loose, moist 2.0 25 grey, damp to wet, fine grained sand, 631.8 3.0 3.0 200 4.0 630.8 grey, damp to wet, fine grained sand, 4.0 200 5.0 629.8 grey, damp to wet, fine grained sand, 5.0 6.0 628.8 6.0 7.0 627.8 8.0 626.8 End of hole at 18 feet 8.0 9.0 625.8 9.0 Bentonite Top Of Screen 3.0 Sandpack Bottom Of Screen 6.1 Cuttings/Sand Backfill/Slough Top Of Sandpack 2.7 7.6 Bottom Of Sandpack Water Level: Top Of Bentonite 2.1 Date: June, 2003 SITE INVESTIGATION 146 Industrial Rd, Whitehorse, Yukon Territory PGL File: