

WATSON LAKE SEWER RELOCATION	CLIENT: [REDACTED]	BOREHOLE NO: 3560-07
9TH STREET AND CENTENNIAL AVENUE	DRILL: MOBILE CME - SOLID FLIGHT AUGER	PROJECT: [REDACTED]
WATSON LAKE, YUKON		

SAMPLE TYPE	<input type="checkbox"/> DISTURBED	<input type="checkbox"/> NO RECOVERY	<input type="checkbox"/> SPT	<input type="checkbox"/> A-CASING	<input type="checkbox"/> SHELBY TUBE	<input type="checkbox"/> CORE
BACKFILL TYPE	<input type="checkbox"/> BENTONITE	<input type="checkbox"/> PEA GRAVEL	<input type="checkbox"/> SLOUGH	<input type="checkbox"/> GROUT	<input type="checkbox"/> DRILL CUTTINGS	<input type="checkbox"/> SAND

Depth (m)	SOIL DESCRIPTION	SAMPLE TYPE	SAMPLE NUMBER	SPT (N)	GROUND ICE DESCRIPTION AND COMMENTS	BULK DENSITY (kg/m ³)		CLAY (%)		SILT (%)		SAND (%)		Depth (ft)
						1400	1600	1800	2000	20	40	60	80	
0	THIN SNOW COVER SAND AND GRAVEL-(road base and subbase), gravel 40 mm maximum diameter												0	
	-subangular to subrounded													
1	SAND-silty, some gravel, greyish brown, damp, gravel 20 mm maximum diameter, fine grained sand		1										5	
2			2											
3	-very dense		3	47									10	
4	SAND(TILL)-medium to fine grained, silty, some gravel 40 mm diameter, damp, greyish brown		4										15	
5			5										20	
	END OF BOREHOLE 5.0 m												25	

[REDACTED]	LOGGED BY: [REDACTED]	COMPLETION DEPTH: 5m
[REDACTED]	REVIEWED BY: [REDACTED]	COMPLETE: 1982-04-01
[REDACTED]	DRAWING NO: [REDACTED]	Page 1 of 1