

BELLEVIEW SUBDIVISION	CLIENT: [REDACTED]	BOREHOLE NO: 4561-03
LOT #34	DRILL: JOHN DEERE 410 BACKHOE	PROJECT [REDACTED]
WATSON LAKE, YUKON		

SAMPLE TYPE	<input type="checkbox"/> DISTURBED	<input type="checkbox"/> NO RECOVERY	<input type="checkbox"/> SPT	<input type="checkbox"/> A-CASING	<input type="checkbox"/> SHELBY TUBE	<input type="checkbox"/> CORE
BACKFILL TYPE	<input type="checkbox"/> BENTONITE	<input type="checkbox"/> PEA GRAVEL	<input type="checkbox"/> SLOUGH	<input type="checkbox"/> GROUT	<input type="checkbox"/> DRILL CUTTINGS	<input type="checkbox"/> SAND

Depth (m)	SOIL DESCRIPTION	SAMPLE TYPE	SAMPLE NUMBER	GROUND ICE DESCRIPTION AND COMMENTS	BULK DENSITY (kg/m ³)		CLAY (%)		SILT (%)		SAND (%)		Depth (ft)
					1400	1600	1800	2000	20	40	60	80	
0	PEAT MOSS(PT)-root mat, and organic silt GRAVEL AND SAND(GP)-clean, with occasional cobble 150 mm; subrounded to subangular, smooth gravel; coarse to fine grained												0
1			1										3
2	SAND(SP)-trace to some gravel; interbedded with 200 mm thick lens of fine grained uniform GRAVEL AND SAND(SP)-clean		2										6
3	END OF TEST PIT 2.8 m NOTE: 25 mm PVC standpipe installed to 2.4 m												9
4													13
5													16

[REDACTED]	LOGGED BY: [REDACTED]	COMPLETION DEPTH: 2.8m
[REDACTED]	REVIEWED BY:	COMPLETE: 1986-08-11
[REDACTED]	DRAWING NO: 4561-3	Page 1 of 1