

BELLEVIEW SUBDIVISION	CLIENT: [REDACTED]	BOREHOLE NO: 4561-06
LOT #30	DRILL: JOHN DEERE 410 BACKHOE	PROJECT: [REDACTED]
WATSON LAKE, YUKON		

SAMPLE TYPE	<input type="checkbox"/> DISTURBED	<input type="checkbox"/> NO RECOVERY	<input type="checkbox"/> SPT	<input type="checkbox"/> A-CASING	<input type="checkbox"/> SHELBY TUBE	<input type="checkbox"/> CORE
BACKFILL TYPE	<input type="checkbox"/> BENTONITE	<input type="checkbox"/> PEA GRAVEL	<input type="checkbox"/> SLOUGH	<input type="checkbox"/> GROUT	<input type="checkbox"/> DRILL CUTTINGS	<input type="checkbox"/> SAND

Depth (m)	SOIL DESCRIPTION	SAMPLE TYPE	SAMPLE NUMBER	GROUND ICE DESCRIPTION AND COMMENTS	BULK DENSITY (kg/m ³)		CLAY (%)		SILT (%)		SAND (%)		Depth (ft)
					1400	1600	1800	2000	20	40	60	80	
0	PEAT MOSS(PT)-root mat, and organics												0
	SAND(SP/SM)-trace to some silt; fine grained, uniform; orangish brown												
	GRAVEL AND SAND(GP)-clean, with occasional cobble 150 mm; subrounded to subangular, smooth gravel; interbedded with medium bedded lenses of medium to fine grained sand, 150 mm to 200 mm thick; damp; compact(est.)												
1			1										5
2	SAND(SP)-trace gravel, clean; interbedded 300 mm thick lens of medium to fine grained sand; dry		2										
	GRAVEL AND SAND(GP)-clean												
	-30 mm lens of iron oxide stained and black gravel												
3													10
4	END OF TEST PIT 3.8 m												
	NOTE: 25 mm PVC standpipe installed to 3.6 m												
5													16

[REDACTED]	LOGGED BY: [REDACTED]	COMPLETION DEPTH: 3.8m
[REDACTED]	REVIEWED BY:	COMPLETE: 1986-08-11
[REDACTED]	DRAWING NO: 4561-6	Page 1 of 1