

BELLEVIEW SUBDIVISION	CLIENT [REDACTED]	BOREHOLE NO: 4561-18
LOT #46	DRILL: JOHN DEERE 410 BACKHOE	PROJECT [REDACTED]
WATSON LAKE, YUKON		

SAMPLE TYPE	<input type="checkbox"/> DISTURBED	<input type="checkbox"/> NO RECOVERY	<input type="checkbox"/> SPT	<input type="checkbox"/> A-CASING	<input type="checkbox"/> SHELBY TUBE	<input type="checkbox"/> CORE
BACKFILL TYPE	<input type="checkbox"/> BENTONITE	<input type="checkbox"/> PEA GRAVEL	<input type="checkbox"/> SLOUGH	<input type="checkbox"/> GROUT	<input type="checkbox"/> DRILL CUTTINGS	<input type="checkbox"/> SAND

Depth (m)	SOIL DESCRIPTION	SAMPLE TYPE	SAMPLE NUMBER	GROUND ICE DESCRIPTION AND COMMENTS	BULK DENSITY (kg/m ³)		CLAY (%)		SILT (%)		SAND (%)		Depth (ft)
					1400	1600	1800	2000	20	40	60	80	
0	PEAT MOSS(PT)-root mat, and organic silt												0
0	GRAVEL(GP)-sandy, clean, with occasional cobble 150 mm; subrounded to subangular, smooth gravel; coarse to medium grained sand; interbedded with medium bedded lenses of medium to fine grained sand, even, nonparallel, discontinuous; damp; compact(est.); greyish brown		1										0
1													3
2			2										6
3													10
4	END OF TEST PIT 3.7 m NOTE: 25 mm PVC standpipe installed to 3.6 m												13
5													16

Archive

[REDACTED]	LOGGED BY: [REDACTED]	COMPLETION DEPTH: 3.7m
[REDACTED]	REVIEWED BY: [REDACTED]	COMPLETE: 1986-08-12
[REDACTED]	DRAWING NO: 4561-18	Page 1 of 1